

In re Patent Application of:  
**HUANG ET AL.**  
Serial No. 10/726,458  
Filed: 12/03/2003

---

Amendments to the Claims

1. (original) A multistage amplifier for amplifying light over a wavelength band comprising:

a first span of amplifying fiber;

a second span of amplifying fiber optically coupled with the first span;

a gain flattening filter (GFF) in-line with at least one of the first and second spans of amplifying fiber for attenuating predetermined wavelengths of amplified light, WHEREIN A FIRST gain spectral response of the first and second spans of amplifying fibre including the GFF measured over the wavelength band has shape of a ripple that oscillates as a function of wavelength such that a plurality of peaks in the form of maxima and valleys in the form of minima occur at a plurality of different wavelengths, each different wavelength corresponding to a different channel; and,

a second compensating filter in-line with one of the first and second spans of fiber having a SECOND spectral response that has a second plurality of peaks in the form of maxima and valleys in the form of minima, wherein the second spectral response is absent at least 50% of four most predominant peaks or valleys at channels where peaks or valleys, respectively, were present in the first spectral response, and WHEREIN a maximum ripple amplitude in the second spectral response is less than a maximum ripple amplitude in the first gain spectral response.

2. (original) A multistage optical amplifier as defined in claim 1, wherein the GFF is downstream of the first span of amplifying

In re Patent Application of:  
**HUANG ET AL.**  
Serial No. 10/726,458  
Filed: 12/03/2003

---

fiber and is disposed to receive light from at least one of the first and second spans of amplifying fiber.

3. (original) A multistage optical amplifier as defined in claim 1 wherein the second compensating filter is a Bragg grating.

4. (original) A multistage optical amplifier as defined in claim 2, wherein the second compensating filter is a Bragg grating and wherein the second spectral response has minima at at least 10% of wavelengths where peaks were present in the first spectral response.

5. (original) A multistage optical amplifier as defined in claim 3 wherein the wavelength band is from 1525 to 1565 nm and wherein the amplifying fiber is rare earth doped.

6. (original) A multistage optical amplifier as defined in claim 1 wherein the second compensating filter is disposed between the first and second spans of optical fiber.

7. (original) A multistage optical amplifier as defined in claim 1 wherein the GFF is disposed between the first and second spans of optical fiber.

8. (original) A multistage optical amplifier as defined in claim 1, wherein the second filter has a random spectral component designed into the filter so that at least a portion of the output response of the second compensating filter is random.

9. (original) An amplifier for amplifying light over a wavelength band comprising:

In re Patent Application of:  
**HUANG ET AL.**  
Serial No. 10/726,458  
Filed: 12/03/2003

---

a first span of amplifying fiber;  
a gain flattening filter (GFF) in-line with the first span of amplifying fiber for attenuating predetermined wavelengths of amplified light, WHEREIN A FIRST gain spectral response of the first span of amplifying fibre including the GFF measured over the wavelength band has shape of a ripple that oscillates as a function of wavelength such that a plurality of peaks in the form of maxima and valleys in the form of minima occur at a plurality of different wavelengths; and,  
a second compensating filter having a SECOND spectral response that has a second plurality of peaks in the form of maxima and valleys in the form of minima, wherein the second spectral response is absent at least 50% of peaks at wavelengths where peaks were present in the first spectral response, and WHEREIN a maximum ripple amplitude in the second spectral response is less than a maximum ripple amplitude in the first gain spectral response.

10. (original) An amplifier as defined in claim 9, wherein the amplifying fiber is erbium-doped fiber.

11. (cancelled)